

Division of Healthcare Financing

Medicaid Pharmacy News

Dear Providers: October 29, 2013

SYNAGIS® PRIOR AUTHORIZATION PROCEDURE

Prior authorization is required for ALL Synagis® claims. There is a separate authorization request form that is required and it is available in this newsletter, as well as at http://wymedicaid.org/pa. The prescriber must sign the prior authorization request form and the client's gestational age must be provided for the first dose. For EACH dose, the client's weight, the anticipated administration date, the previous dose administration date, and the date of submission of the prior authorization must be included. The prescriber (or prescriber's agent) must also initial the form for each dose. Authorizations for subsequent doses will not be approved without the previously mentioned information being updated for each dose. Additionally, requests will only be allowed at a dosing interval of not less than 28 days between injections. Laims submitted for a day supply less than 28 days may be subject to recovery.

The Wyoming Department of Health will <u>only approve five (5) doses</u> of therapy with Synagis per client per season. Therefore, if the RSV season has not begun in the client's area of the state, consideration should be given to delaying the start of administration of Synagis to avoid exceeding the Wyoming Medicaid dosing limits. If the medication is needed later in the season and the patient has already received their five doses (5) of Synagis, there is <u>no guarantee that an additional dose will be approved</u>. Keep in mind that last year RSV was not detected in CO, WY, MT, SD and ND until December and cleared in April. Please be cognizant of what is occurring in your area.

Wyoming Medicaid will approve Synagis® prior authorization requests that meet the criteria below. If a client does not meet the criteria, please provide as much information as possible, and those requests will be reviewed by the state on a case by case basis:

- ➤ CHRONIC LUNG DISEASE: Client is ≤24 months of age at start of therapy and has chronic lung disease of prematurity (i.e. bronchopulmonary dysplasia) requiring medication (bronchodilator, diuretic, or chronic corticosteroid therapy) or oxygen within 6 months of the start of RSV season.
- ➤ **CONGENITAL HEART DISEASE:** Client is <24 months of age at start of therapy and has hemodynamically significant congenital heart disease and one or more of the following:
 - > Is receiving medication to control congestive heart failure
 - Has a diagnosis of moderate to severe pulmonary hypertension
 - > Has a diagnosis of cyanotic heart disease

PREMATURITY:

- Client is ≤12 months of age at the start of RSV season and born at ≤28 weeks, 6 days gestational age.
- ➤ Client is ≤12 months of age at the start of RSV season and born at 34 weeks, 6 days or less gestational age and has either severe neuromuscular disease or congenital abnormalities, either of which compromise handling of respiratory secretions.
- Client is <6 months of age at the start of RSV season and born between 29 weeks, 0 days and 35 weeks, 6 days gestational age.</p>

FAX completed form to Goold Health Systems, an Emdeon company 1-866-964-3472

Wyoming Medicaid – Pharmacy Services Program y MULTIPLE USE** PRIOR AUTHORIZATION REQUEST FORM

PHONE: (For questions or inquiries ONLY) 1-877-207-1126

SYNAGIS®

	Provider n	nust fill in all	information below.	It must be le	egible, co	orrect and co	omplete or the form	will be returne	d.
Client ID #:									
Client's Full N	ame:							DOB:	
Prescriber NPI	:					_			
Prescriber's Fu	ll Name:							Phone:	
Prescriber Address:								Fax:	
Pharmacy NPI:		_			_				
Pharmacy Name:								Phone:	
CHRON bronchop months o CONGE heart dise PREMA Client is neurom Client is	IC LUNG DIS ulmonary dysp f the start of RS NITAL HEAR ease and one or Is receiving n Has a diagnos Has a diagnos TURITY: s <12 months or uscular disease s < 6 months of	MEDICA SEASE: Cli clasia) require SV season. RT DISEAS more of the medication to sis of moder sis of cyanor f age at star e or congeni age at start	aL NECESSITY I ent is ≤ 24 months ring medication (but the following: (Please to control congestive rate to severe pulmetic heart disease.) It of RSV season and the following all abnormalities, early of RSV season and the following information including	of age at some concluding on the of age check all the heart fail to onary hyperal down at a down at a down at a down at a down between the or of which the or of the or of which the or of whi	start of tor, diunge at statthat applure ertension \$\frac{28}{4}\$ week hich conween 29	herapy and retic, or chart of therapoly) n eks, 6 days on promise hereous by weeks, 0	se check all that and has chronic lung ronic corticosteroi py and has hemody and has hemody as gestational age. Tor less gestational handling of respirated days and 35 week	disease of pred therapy) or ynamically si age and has ettory secretions, 6 days gest	ematurity (i.e. oxygen within 6 gnificant congenital ither severe as. cational age.
		Yes Adn	ceived Synagis® in ninistration Date(s	s):			Dos:		
SYNAGIS®	STRENGT		e submit (by fax) TICIPATED			orm per c S DOSE	CLIENT'S		PRESCRIBER'S
BITTAGIS	STRENGT		INISTRATION DATE			RATION		WEIGHT	INITIALS
1 st Dose			DATE		DAT	<u>u</u>	Lbs	OZ.	
2 nd Dose							Lbs	oz.	
3 rd Dose							Lbs	OZ.	
4 th Dose							Lbs	oz.	
5 th Dose							Lbs	oz.	
Prescriber S	Signature:	•		Dat	e(s) of	Submis	sion:		•

1ST DOSE

*MUST MATCH PRESCRIBER LISTED ABOVE

STATE MAXIMUM ALLOWABLE COSTS

In November, Wyoming Medicaid will be implementing a State Maximum Allowable Cost (SMAC) of \$0.00381 on all oral vehicles (i.e., Ora-Sweet, Ora-Plus, Flavor Sweet, Flavor Plus, etc.). The SMAC is the maximum allowable cost the State of Wyoming will pay for these ingredients. For more information regarding these ingredients and the implemented SMAC pricing, please refer to www.wymedicaid.org.